

Fire & Hearth

2021 Catalog

Natural gas fireplaces, wood stoves, pellet stoves, gas stoves, firepits, fire tables, furniture, we stock anything and everything you need to warm up and stay cozy around the fire.

Fire & Hearth

134 DuraVent

Stove and Fireplace Venting

161 Hargrove

Gas Logs and Accessories

168 Heatilator (SimpliFire)

Electric Fireplaces and Accessories

182 MF Fire

Wood Burning Stoves and Accessories

201 The Outdoor Great Room

Outdoor Fireplaces

Denver | Grand Junction | Casper | Salt Lake City

www.rwspecialties.com

DuraTech®

All-fuel, double-wall chimney system.
UL 103 HT, UL 103, and ULC S604.



Specifications

Applications

5" - 8" DuraTech is a double-wall, all-fuel chimney system for use with wood stoves, fireplaces, furnaces, boilers, ranges, water heaters, or other appliances fueled by wood, oil, coal, or gas, and zero-clearance fireplaces that are factory-built.

Materials and Construction

5" - 8" diameter pipe features inner wall of .020" 430 stainless steel. Outer wall options of .016" 430 stainless steel or .021" galvalume steel. A Thermal Tech (ceramic refractory) blanket insulation is encased between walls. Stainless steel end rings seal the pipe.

DuraTech features light weight insulation, twist-lock fittings, support boxes with factory installed starter sections, elbows with 360° swivel base, select black finish pipe lengths, five foot length pipe sections, and adjustable pipe lengths.

Clearances

2" clearance to combustibles.

Shrouds

UL Listed with DuraVent shroud specifications. Information available online at www.duravent.com or call and request L157.

Diameters

5" - 8"

Listings

c-UL-us Listed to UL 103 HT and ULC S604 (MH7399)
(Stainless steel outer wall required for oil-burning installations in Canada).



UL 103 HT and ULC S604 System

DuraTech 5" - 8"

With a Thermal Tech blanket insulation encased between dual walls, DuraTech offers the optimum in safety and performance. It keeps the outer wall of the chimney cool while ensuring high flue gas temperatures for optimum draft performance.




The inner wall is 25% thicker than competitive chimneys for an extra margin of safety. No locking bands or mechanical fasteners required.

DuraTech's sleek 1" wall design provides for easy installations through 16" on-center framing. For tight installations, a Reduced Clearance Square Ceiling Support Box is available (6" diameter DuraTech only).

Designed for normal, continuous operation at 1000°F flue gas temperatures, DuraTech is subjected to rigorous and stringent high temperature requirements of the UL standard, including one hour at 1400°F, plus three ten-minute chimney fire test at 2100°F.




Typical Installations
For 5"- 24" DuraTech



Installation Key			
1	DVL or DuraBlack	11	Tee with Tee Cap
2	Ceiling Support	12	Tee Support
3	Wall Thimble	13	Chase Top Flashing
4	Chimney Pipe	14	Base Tee/Double Tee
5	Attic Insulation Shield	15	Anchor Plate or Anchor Plate with Damper
6	Flashing	16	Roof Support
7	Storm Collar	17	Finishing Collar
8	Chimney Cap	18	DVL Adapter, DuraBlack Slip Connector, or Snap-Lock Adapter
9	Elbow	19	DVL Adapter (w/ or w/o damper)
10	Elbow Strap		

Refer to our Typical Installation drawings to select the appropriate component parts for your installation.

- DVL/DuraBlack Chimney Adapter must be used when connecting DVL pipe to a Ceiling Support Box or Finishing Collar. When connecting DuraBlack pipe, a DVL/DuraBlack Chimney Adapter, DuraBlack Slip Connector, or Snap-Lock Adapter must be used.
- Wall Thimble must be installed with an appropriate length of chimney pipe for all horizontal through-the-wall installations. To accommodate thicker walls, the telescoping pieces of the Wall Thimble can be separated, and a field-fabricated extension may be installed.
- Attic Insulation Shield must be used in all installations that pass through an attic, regardless of whether the attic is insulated or not.
- Firestop Radiation Shield must be used when a chimney passes through a floor or ceiling without a support box.



DuraVent
Member of M&G Group



DURAVENT

Pricing Guide

Committed to Providing Exceptional Products and

DuraVent

Item Number	Description	List
DURATECH		
DV5DTSA	SPARK ARRESTOR 5IN - 8IN	34.30
DV5DTSC	DURATECH 6IN STORM COLLAR (10)	28.25
DV5DTTCR	DURATECH 6INRD.TRIM COLLAR FOR	93.75
6" DURATECH		
DV6DT-AES	6IN & 8IN DIAMTR ADJ ELBOW STRAP	86.50
DV6DT-ARS	DURATECH 6-8IN ADJ ROOF SUPPORT	144.16
DV6DT-AWS	6IN-8IN ADJUSTABLE WALL STRAP	92.27
DV6DT06	DURATECH 6INX6IN GALVALUME PIPE	99.73
DV6DT09	DURATECH 6IN X 9INGALVALUME PIPE	123.56
DV6DT09SS	DURATECH 6IN X 9IN CHIMNEY PIPE	138.44
DV6DT12	DURATECH 6INX12IN GALVALUME PIPE	145.90
DV6DT18	DURATECH 6INX18IN GALVALUME PIPE	184.58
DV6DT18SS	DURATECH 6IN X 18INCHIMNEY PIPE	200.98
DV6DT24	DURATECH 6INX24IN GALVALUME PIPE	233.75
DV6DT24SS	DURATECH 6IN X 24INCHIMNEY PIPE	267.96
DV6DT36	DURATECH 6INX36IN GALVALUME PIPE	306.67
DV6DT36SS	DURATECH 6IN X 36INCHIMNEY PIPE	357.27
DV6DT48	DURATECH 6INX48IN GALVALUME PIPE	379.60
DV6DT48SS	DURATECH 6IN X 48INCHIMNEY PIPE	460.12
DV6DTAP	DURATECH 6IN ANCHOR PLATE	122.06
DV6DTCS11	DURATECH 11IN SUPPORT BOX 6IN	296.25
DV6DTCS24	DURATECH 24IN SUPPORT BOX 6IN	329.05
DV6DTCS36	DURATECH 36IN SUPPORT BOX 6IN	363.25
DV6DTE15K	DURATECH 6IN 15 DEGREE ELBOW	576.95
DV6DTE30K	DURATECH 6IN 30 DEGREE ELBOW	684.96
DV6DTF12	DURATECH 6IN ROOF FLASHING 45	202.46
DV6DTF12DSA	DURATECH 6IN ROOF FLASHING 45	347.02
DV6DTF18	DURATECH 6IN ROOF FLASHING	300.73
DV6DTF24	DURATECH 6INROOF FLASHING 60	409.40
DV6DTF6	DURATECH 6IN FLASHING 0/12-6/12	156.27
DV6DTF6DSA	DURATECH 6IN FLASHING 0/12-6/12	217.49
DV6DTFC	DURATECH 6IN FINISHING COLLAR	91.16
DV6DTFCS	DURATECH 6INFLAT CEILING SUPP.*	200.98
DV6DTFF	DURATECH 6IN ROOF FLASHING (4)	209.92
DV6DTFRS	DURATECH 6INFIRESTOP RADIATION	117.56
DV6DTFS	DURATECH 6IN FIRESTOP	105.57
DV6DTFS	DURATECH 6IN FIRESTOP	153.31
DV6DTIS	DURATECH 6IN ATTIC ISULATION	19.33
DV6DTLB	DURATECH 6IN LOCKING BAND	155.25
DV6DTRCS	DURATECH 6INRD.CEILING SUPP.BOX	117.56
DV6DTRSTC12	DURATECH 6INROOF SUPPORT TRIM	117.56
DV6DTRSTC3	DURATECH 6INROOF SUPPORT TRIM	117.56
DV6DTRSTC6	DURATECH 6INROOF SUPPORT TRIM	117.56
DV6DTRSTC9	DURATECH 6INROOF SUPPORT TRIM	228.84
DV6DTST	DURATECH 6IN T W/CAP	382.63
DV6DTTSB	DURATECH 6INTEE SUPPORT BRACKET	190.54
DV6DTVC	DURATECH 6IN CHIMNEY CAP	171.19
DV6DTWT	DURATECH 6IN WALL THIMBLE	150.33
DV6DTXRS	DURATECH 6-8IN EXT ROOF BRKT	207.59

7" DURATECH		
Item Number	Description	List
DV7DT06	DURATECH 7INX6IN GALVALUME PIPE	194.06
DV7DT12	DURATECH 7INX12IN GALVALUME PIPE	169.68
DV7DT24	DURATECH 7INX24IN GALVALUME PIPE	270.96
DV7DT36	DURATECH 7INX36IN GALVALUME PIPE	379.60
DV7DT48	DURATECH 7INX48IN GALVALUME PIPE	436.19
DV7DTAP	DURATECH 7IN ANCHOR PLATE	153.31
DV7DTE15K	DURATECH 7IN 15 DEGREE ELBOW KT	704.50
DV7DTF12	DURATECH 7IN FLASHING 7/12-12/12	233.75
DV7DTF6	DURATECH 7IN FLASHING 0/12-6/12	178.65
DV7DTFC	DURATECH 7IN FINISHING COLLAR	127.53
DV7DTFS	DURATECH 7IN FIRE STOP	117.30
DV7DTSC	DURATECH 8IN STORM COLLAR (10)	31.23
DV7DTTCR	DURATECH 8INRD.TRIM COLLAR FOR	96.72
DV7DTVC	DURATECH 7IN CHIMNEY CAP	233.75
DV7DTWS	DURATECH 7IN WALL STRAP	86.33
DV7DTWT	DURATECH 7IN WALL THIMBLE	304.96
8" DURATECH		
DV8DT-12SS	DURATECH 8INX12IN STAINLESS	263.48
DV8DT06	DURATECH 8IN X 6INGALVALUME PIPE	114.60
DV8DT09	DURATECH 8IN X 9INGALVALUME PIPE	144.37
DV8DT12	DURATECH 8INX12IN GALVALUME PIPE	174.17
DV8DT18	DURATECH 8INX18IN GALVALUME PIPE	218.81
DV8DT21TA	DURATECH 8IN ADJ. (14-21IN) PIPE	497.97
DV8DT24	DURATECH 8INX24IN GALVALUME PIPE	282.83
DV8DT36	DURATECH 8INX36IN GALVALUME PIPE	406.42
DV8DT48	DURATECH 8INX48IN GALVALUME PIPE	467.44
DV8DT48SS	DURATECH 8INX48INCHIMNEY PIPE	613.36
DV8DTAP	DURATECH 8IN ANCHOR PLATE	171.19
DV8DTCS11	DURATECH 11IN SUPPORT BOX 8IN	324.52
DV8DTCS24	DURATECH 24IN SUPPORT BOX 8IN	361.75
DV8DTCS36	DURATECH 36IN SUPPORT BOX 8IN	401.96
DV8DTE15K	DURATECH 8IN 15 DEGREE ELBOW	725.75
DV8DTE30K	DURATECH 8IN 30 DEGREE ELBOW	827.92
8" DURATECH		
DV8DTF12	DURATECH 8IN ROOF FLASHING	253.08
DV8DTF6	DURATECH 8IN FLASHING 0/12-	194.97
DV8DTF6DSA	DURATECH 8IN FLASHING 0/12-6/12	266.35
DV8DTFC	DURATECH 8INFINISHING COLLAR	105.47
DV8DTFRS	DURATECH 8INFIRESTOP	147.37
DV8DTFS	DURATECH 8IN FIRESTOP	129.02
DV8DTIS	DURATECH 8INATTIC ISULATION	205.41
DV8DTRCS	DURATECH 8INRD.CEILING	249.51
DV8DTST	DURATECH 8IN TEE W/CAP #9667GA	535.97
DV8DTTSB	DURATECH 8INTEE SUPPORT	276.90
DV8DTVC	DURATECH 8IN CHIMNEY CAP	306.67
DV8DTWT	DURATECH 8IN WALL THIMBLE	192.00

Unitized, co-axial venting system for direct vent gas or propane stoves, and fireplaces.

Specifications

Applications

DirectVent Pro is a unitized, coaxial (concentric) venting system designed for use with direct vent gas or propane stoves, heaters, and fireplaces.

Materials and Construction

.020" aluminum inner wall.
.018" galvanized steel outer wall.
Painted outer walls made of laser-welded .018" galvalume steel. Caps also available in stainless steel and copper. Outer pipe brings combustion air to the appliance. Inner pipe exhausts flue gases to the outside. Gaskets or sealants not required (unless specified by the appliance manufacturer).

Clearances

Specified by the appliance manufacturer.

Diameters

4" x 6 5/8" and 5" x 8".

Listings

DirectVent Pro, in combination with the gas appliance, has been tested and listed as a decorative gas appliance system or as a direct vent heater system by a major testing agency, such as UL, CSA, or Warnock Hersey. Check with your appliance manufacturer for approval.


DirectVent Pro

Stunning design and Engineered Excellence® utilizing state-of-the-art manufacturing. DirectVent Pro features tight inner connections for superb performance, with no gaskets or sealants required (unless specified by the appliance manufacturer). All black pipe lengths, pipe extensions, and elbows feature laser-welded outer wall seams for a sleek finish. Low-profile locks and no hems or beads allow for a beautiful product that looks elegant in any interior.

Engineered Excellence® with innovation and style...DirectVent Pro. DuraVent's direct vent is specified exclusively by nearly every major stove and fireplace manufacturer in the U.S. and Canada, with the largest choice of termination caps for direct vent available.






Typical Installations



Installation Key			
1	Vertical Termination Cap	9	90° Elbow
2	Storm Collar	10	Horizontal Termination Cap
3	Flashing	11	Snorkel Termination Cap
4	Cathedral Ceiling Support Box	12	Colinear Kit
5	Pipe	13	3" or 4" Flex
6	45° Elbow	14	Co-Axial to Co-Linear Connector
7	Class A Chimney Conversion Kit	15	Masonry Chimney Conversion Kit
8	4" Flex	16	Elbow Strap

• Refer to our Typical Venting Installation drawings to select the appropriate component parts for your installation.



<div>  <div> DURAVENT Pricing Guide <i>Committed to Providing Exceptional Products and</i> </div>  </div>		
Item Number	Description	List
DIRECT VENT PRO 4 X 6 5/8"		
DV46DVA-06	D.V.6INX6INPIPE (GALV)6 PER CTN	49.36
DV46DVA-06B	D.V.6INX6INPIPE (BLACK)	87.46
DV46DVA-08A	8-1/2IN PIPE EXTENSION 6IN(GALV)	48.33
DV46DVA-08AB	8-1/2INPIPE EXTENSION 6IN(BLACK)	74.23
DV46DVA-09	D.V.6INX9INPIPE(GALV)6 PER CTN	56.30
DV46DVA-09B	D.V.6INX9INPIPE (BLACK)	86.54
DV46DVA-12	D.V.6INX12INPIPE (GALV)6 PER CTN	65.03
DV46DVA-12B	D.V.6INX12INPIPE(BLACK)	95.90
DV46DVA-16A	16INPIPE EXTENSION 6IN(GALV)	57.32
DV46DVA-16AB	16INPIPE EXTENSION 6IN(BLACK)	84.52
DV46DVA-18	D.V.6INX18INPIPE(GALV)6 PER CTN	77.25
DV46DVA-18B	D.V.6INX18INPIPE(BLK) 6 PER CTN	108.15
DV46DVA-24	D.V.6INX24INPIPE(GALV)6 PER CTN	88.80
DV46DVA-24B	D.V.6INX24IN PIPE (BLACK)	124.29
DV46DVA-36	D.V.6INX36INPIPE(GALV)6 PER CTN	108.43
DV46DVA-36B	D.V.6INX36INPIPE (BLACK)	151.78
DV46DVA-48	D.V.6INX48INPIPE(GALV)6 PER CTN	129.59
DV46DVA-48B	D.V.6INX 48IN PIPE (BLACK)	181.41
DV46DVA-60	D.V.6INX60INPIPE(GALV)6 PER CTN	172.62
DV46DVA-60B	D.V.6INX 60IN PIPE (BLACK)	241.78
DV46DVA-ADP	APPLIANCE ADAPTER	92.88
DV46DVA-CL33	D/V INSERT LINER KIT	617.14
DV46DVA-CL33P	D.V.CO-LINEAR KIT PRAIRIE CAP	680.98
DV46DVA-CL34	D/V INSERT LINER KIT	617.14
DV46DVA-CL34P	D.V.CO-LINEAR KIT PRAIRIE CAP	680.98
DV46DVA-CS	D.V.CATHEDRAL CEILING SUP.BOX	175.95
DV46DVA-DC	D.V.CEILING SUP/THIMBLE COVER	113.12
DV46DVA-E30	30 DEGREE ELBOW (6 PER CARTON)	94.39
DV46DVA-E45	D.V.45 DEGREE ELBOW (6 PER CT)	87.69
DV46DVA-E45B	D.V.45 DEGREE ELBOW (BLACK)	114.74
DV46DVA-E60	60 DEGREE ELBOW (6 PER CARTON)	108.08
DV46DVA-E90	D.V.90 DG.ELBOW(GALV)6 PER CTN	102.59
DV46DVA-E90B	D.V.90 DG.ELBOW (BLACK)	134.03
DV46DVA-ES	ELBOW STRAP	28.15
DV46DVA-F12	D.V.FLASHING (6 PER CTN)	118.33
DV46DVA-F6	D.V. FLASHING (6 PER CTN)	62.38
DV46DVA-F6DS	DS FLASHING (6 PER CARTON)	117.70
DV46DVA-FF	D.V. FLAT ROOF FLASHING	94.47
DV46DVA-FS	D.V.FIRESTOP (6 PER CTN)	21.40
DV46DVA-GCL	D.V. CO-AXIAL CONNECTOR - STD.	281.35
DV46DVA-GK	D.V. LINER TERM. KIT	303.62
DV46DVA-H2	4INX6 5/8IN DVA HOIZONTAL CAP V2	326.06
DV46DVA-HC	D.V.HORIZ.SQ.TERM.CAP HI-WIND	362.29
DV46DVA-HSC	D.V.SCONCE TERM.CAP(ALUMINUM)	241.28
DV46DVA-IS	D.V.ATTIC INSULATION SHIELD	156.10

DIRECT VENT PRO 4 X 6 5/8"		
Item Number	Description	List
DV46DVA-KCA	D.V. CHIMNEY CONVERSION KIT A	375.76
DV46DVA-KCB	D.V.CHIMNEY CONVERSION KIT B	375.76
DV46DVA-KCC	D.V.CHIMNEY CONVERSION KIT C	375.76
DV46DVA-KHA	D.V. HORIZONTAL TERM.KIT A	550.32
DV46DVA-KHC	D.V. HORIZONTAL TERM.KIT P	650.21
DV46DVA-KMC	D.V.MASONRY CHIMNEY CONV.KIT	452.77
DV46DVA-SC	D.V. STORM COLLAR (6 PER CTN)	18.13
DV46DVA-SNK14	D.V.14IN SNORKEL CAP	966.64
DV46DVA-SNK36	D.V.36IN SNORKEL CAP	1106.06
DV46DVA-VC	D.V.LOW PROFILE TERM.CAP	173.02
DV46DVA-VCE	D.V. EXT.VERTICAL TERMINATION	314.17
DV46DVA-VCH	D.V. HIGH WIND CAP	146.04
DV46DVA-VSS	D.V.VINYL SIDING STANDOFF	117.30
DV46DVA-WG	D.V. HORIZONTAL WINDGUARD	239.31
DV46DVA-WS	D.V.WALL STRAP (6 PER CTN)	38.61
DV46DVA-WT	D.V.WALL THIMBLE (6 PER CTN)	88.80
DV46DVA-WTS	D.V.WALL THIMBLE SMALL	80.94
DIRECT VENT PRO 5" X 8"		
DV58DVA-06	D.V. 8IN X 6IN GALVANIZED (4)	58.06
DV58DVA-08A	D.V. 8-1/2IN PIPE EXTENSION (4)	56.91
DV58DVA-09	D.V. 8IN X 9IN GALVANIZED (4)	66.25
DV58DVA-12	D.V. 8IN X 12IN GALVANIZED (4)	76.50
DV58DVA-16A	16IN PIPE EXTENSION GALV.(4)	71.65
DV58DVA-18	DV 8INX18IN GALVANIZED (4)	90.88
DV58DVA-24	D.V. 8IN X 24IN GALVANIZED (4)	104.44
DV58DVA-36	D.V. 8IN X 36IN GALVANIZED (4)	127.55
DV58DVA-48	D.V. 8IN X 48IN GALVANIZED (4)	152.47
DV58DVA-60	D.V.8INX60INPIPE(GALV)4 PER CTN	203.16
DV58DVA-DC	D.V. 8IN CEILING SUPPORT	130.01
DV58DVA-E45	D.V. 8IN 45 DEG.ELBOW GALV. (4)	107.02
DV58DVA-E90	D.V. 8IN 90 DEG.ELBOW GALV. (4)	124.83
DV58DVA-F12	D.V. 8IN FLASHING 7/12-12/12	204.22
DV58DVA-F6	D.V. 8IN FLASHING 0/12-6/12	115.16
DV58DVA-F6DS	D.V. 8IN ALUM. FLASHING 0-6/12	154.83
DV58DVA-FF	D.V. 8" FLASHING FLAT ROOF	127.25
DV58DVA-FS	D.V. 8IN CEILING FIRESTOP	26.74
DV58DVA-H2	5INX8IN DVA HORIZONTAL CAP V2	370.74
DV58DVA-HC	D.V. 8IN SQ.HORIZ.TERM.CAP	411.93
DV58DVA-HSCH	HIGH WIND SCONCE TERM CAP ALUM	431.57
DV58DVA-IS	INSULATION SHIELD 8IN	195.12
DV58DVA-SC	D.V. 8IN STORM COLLAR	29.68
DV58DVA-SNK14	D.V. 8IN SNORKEL CAP 14IN	1063.32
DV58DVA-SNK36	D.V. 8IN SNORKEL CAP 36IN	1216.67
DV58DVA-VC	D.V. 8IN LOW TERMINATION CAP	197.81
DV58DVA-VCH	D.V.8INHIGH WIND VERT.TERM.CAP	173.46
DV58DVA-VSS	D.V.VINYL SIDING STANDOFF	181.91
DV58DVA-WFS	D.V. 8IN WALL FIRESTOP	113.62
DV58DVA-WS	D.V. 8IN WALL STRAP (4 PER:CTN)	43.99
DV58DVA-WT	D.V.WALL THIMBLE (4-PER:CTN.)	120.56

DuraFlex®

Flexible stainless steel relining
for masonry chimney.
UL 1777 and ULC S635.



UL 1777 and ULC S635 Systems

DuraFlex 316 & 304

DuraFlex 304 and 316 are lighter, more economical liners. Excellent when there are minimal offsets in the chimney. DuraFlex 304SS and 316SS are intended for wood burning, non-condensing gas and oil fired appliances. Where greater corrosion resistance is desired, such as coal-fired appliances, DuraFlex 316 is recommended. DuraFlex 304SS and 316SS are listed to UL 1777 and ULC S635.

Insulation for Flex

All DuraFlex products must be insulated to meet UL 1777 requirements. See the end of the DuraFlex SS for the insulation section to find information on our offering: TherMix, ProFoil, AluFoil Tape, and ProMesh.

A Flexible Solution For Any Installation.

Having a choice when making a decision is important. DuraVent offers the installer a range of products to make the right decision for the right situation. There are four different DuraFlex liners, and a complete selection of DuraFlex universal components. No matter which flex is right for the situation, there's a DuraVent component to complete the venting system.

Specifications

DuraFlex 316 & 304

Applications

DuraFlex 316 flexible relining for masonry chimney. Use with gas, wood pellet, oil, or wood appliance. Applications include: fireplace inserts, furnaces, boilers, and water heaters. 316 is designed for use in harsher conditions, for more resistance to corrosion, such as coal.

DuraFlex 304 flexible relining for masonry chimney. Use with gas, wood pellet, oil, or wood appliances. Applications include: fireplace inserts, furnaces, boilers, and water heaters.

Materials and Construction

Single-wall .005" 316 or 304 stainless steel.

Clearances

0" clearance for gas, oil, and pellet applications. 1" clearance to masonry for wood-burning applications. Insulation is required for 0" clearance to masonry for wood-burning.

Diameters

3"-8".


Listings

Listed to UL 1777 and ULC S635 (MH45609).




DuraVent
Member of M&G Group


Typical Installations



Oil Furnace
DuraFlex SS



Pellet Insert
DuraFlex SS




Pellet Stove
DuraFlex SS & PelletVent Pro

Installation Key			
1	DuraFlex SS Cap	8	DuraBlack Trim Collar
2	DuraFlex Top Plate	9	Rigid Type B Gas Vent
3	DuraFlex (SW, Pro, 304, 316) Length	10	Rigid PelletVent (L Vent)
4	DuraFlex SS Tee	11	ProFoil Insulation, AluFoil Tape & ProMesh
5	DuraFlex Mortar Sleeve	12	DVL or DuraBlack Pipe
6	DuraFlex SS Connector	13	Pipe Collar (B-Vent)
7	PelletVent Pro Appliance Adapter		

Refer to our Typical Venting Installation drawings to select the appropriate component parts for your installation.

- The inner pipe diameter should match the outlet size of the appliance.
- Check the appliance manufacturer’s installation instructions to confirm which types of vent configurations are permitted (i.e. horizontal, vertical, chimney reline, etc.). Also, check for any venting restrictions such as maximum horizontal run, minimum and maximum vertical rise, maximum offset, etc.
- Be fire safe! Use proper support and bracing. Follow local building codes and have your venting system inspected.



PelletVent Pro[®]
Biofuel venting system.
UL 641, ULC S609, and
ULC/ORD C441.



Specifications

Applications

PelletVent Pro is a venting system designed for stoves and inserts that use wood pellets and oil fuel. It is also built to vent biofuel products such as corn, switch grass, cherry pits, soybeans, coffee husks, sunflower hulls, walnut shells and wheat, to name a few. (Rated for continuous use flue temperatures up to 570° F.)

Materials and Construction

Laser-welded, double-wall pipe with a .012” inner wall of 444 stainless steel and a .018” laser-welded galvalume outer wall. Painted black exterior available. Primary metal-to-metal connection seals joint. Encapsulated o-ring provides a secondary seal.

Clearances

1” clearance to combustibles in the USA and Canada for appliances using corn and other biofuels, wood pellets or oil.

Diameters

3” & 4”

Listings

c-UL-us Listed to UL 641 (MH8381 and MH14420).
ULC Listed to ULC S609, ULC/ORD C441 (CMH1439 and CMH1440).



UL 641, ULC S609, and ULC/ORD C441 System


PelletVent Pro for biofuels

All PelletVent Pro® components that come into contact with flue gases are built with an inner wall of corrosion resistant super-ferritic metal. PelletVent Pro is engineered with features for a durable, safe and aesthetically pleasing venting system. PelletVent Pro is a **patent-pending** venting system for stoves and inserts that use wood pellets, corn and other biofuels, or oil, as fuel. As a result of DuraVent’s cutting-edge manufacturing process and commitment to innovation, PelletVent Pro is uncompromised in attention to detail and performance. This perfect fit and finish is made possible with a laser-welded inner and outer wall. Select components are available in black.

PelletVent Pro is UL listed for 1” clearance to combustibles in the USA and in Canada. It’s double-wall, air-insulated design offers superior performance. Seams are factory-sealed on all elbows, tees, and fittings. Since the introduction of pellet stoves in the 1980’s, DuraVent is recognized as the industry leader in venting systems for pellet stoves. For over 20 years, DuraVent’s Pellet Vent has been the number 1 choice for installers.




Typical Installations



Installation Key			
1	Vertical Cap	10	Horizontal Cap with Rigid Pipe
2	Storm Collar	11	Wall Thimble
3	Flashing	12	Ceiling Support Firestop Spacer
4	Cathedral Ceiling Support Box	13	Tee w/ Clean-Out Tee Cap
5	Straight Length Pipe	14	Wall Strap
6	45° Elbow	15	Attic Insulation Shield
7	Appliance Adapter	16	Prairie Termination Cap
8	Flex Length	17	CAS Adjustable Wall Channel
9	90° Elbow		

- Refer to our Typical Venting Installation drawings to select the appropriate component parts for your installation.
- The inner pipe diameter should match the outlet size of the appliance. For installations that require 4” vent and the appliance has a 3” outlet, use an Increaser Adapter 3”-4”.
- Check the appliance manufacturer’s installation instructions to confirm which types of vent configurations are permitted (i.e. horizontal, vertical, chimney reline, etc.). Also, check for any venting restrictions such as maximum horizontal run, minimum and maximum vertical rise, maximum offset, etc.
- Be fire safe! Maintain the minimum clearances (air-space) between the vent pipe and nearby combustibles, as specified in the appliance manufacturer’s installation instructions. Use proper support and bracing. Follow local building codes and have your venting system inspected.



		<div>DURAVENT</div> <div><u>Pricing Guide</u></div> <div>Committed to Providing Exceptional Products and</div>		
Item Number		Description	List	
DURAFLEX ALUMINUM				
DV3DFA25K	DURAFLEX KIT-3INX25FT LINER		333.36	
DV3DFA35	DURAFLEX EXT. 3INX35FT		260.16	
DV3DFA35K	DURAFLEX KIT-3INX35FT LINER		392.98	
DV3DFAFC	3INUNIVERSAL ADAP/FLEX #3DFA-FC		24.01	
DV4DFA25K	DURAFLEX KIT-4INX25FT LINER		355.03	
DV4DFA35	DURAFLEX EXT.-4INX35FT		365.89	
DV4DFA35K	DURAFLEX KIT-4INX35FT LINER		433.65	
DV4DFAFC	DURAFLEX 4IN ADAPT/CONNECTOR		25.72	
DURAFLEX				
DV4DF304-20K	DURAFLEX KIT-4INX20FT		661.74	
DV4DF304-25K	DURA FLEX KIT-4INX25FT		770.19	
DV6DF304-20K	DURA FLEX KIT-6INX20FT		863.14	
DV6DF304-25K	DURA FLEX KIT-6INX25FT		1029.13	
DV6DF304-30K	DURA FLEX KIT-6INX30FT		1195.12	
DV6DF304-35K	DURA FLEX KIT-6INX35FT		1350.05	
DV6DFS-ADC	6INDURAFLEX INSERT ADAPTER		115.41	
3" PELLETVENT				
DV3PVP-06	6IN STRAIGHT LENGTH 3IN PIPE (6)		45.18	
DV3PVP-12	12IN STRAIGHT LENGTH 3INPIPE (6)		64.73	
DV3PVP-12A	12IN ADJ. LENGTH 3IN PIPE (6)		87.95	
DV3PVP-18A	18IN ADJ. LENGTH 3IN PIPE (6)		135.11	
DV3PVP-24	24IN STRAIGHT LENGTH 3INPIPE (6)		85.51	
DV3PVP-36	36IN STRAIGHT LENGTH 3INPIPE (6)		117.28	
DV3PVP-48	48IN STRAIGHT LENGTH 3INPIPE (6)		145.06	
DV3PVP-60	60IN STRAIGHT LENGTH 3INPIPE (6)		167.62	
DV3PVP-60F	60IN FLEX 3IN PIPE (6)		288.09	
DV3PVP-AD	APPLIANCE ADAPTER (6)		35.17	
DV3PVP-CS	CATHEDRAL SUPPORT BOX-3IN PIPE		194.06	
DV3PVP-E45	45 DEGREE ELBOW 3IN PIPE (6)		114.34	
DV3PVP-E90	90 DEGREE ELBOW - 3IN PIPE (6)		142.94	
DV3PVP-F6	ADJ. ROOF FLASHING 3IN PIPE (6)		36.62	
DV3PVP-FS	CEIL.SPT/FIRE.SPAC.3IN PIPE (6)		93.58	
DV3PVP-HC	RD HORIZ CAP-3INPIPE(6)3PVP-HC2		80.47	
DV3PVP-RC	REDUCTION COLLAR (6)		38.80	
DV3PVP-SC	STORM COLLAR-3IN PIPE (6)		10.49	
DV3PVP-T	SNGL.T W/CLEAN-OUT T CAP(6)		191.57	
DV3PVP-TADX4	INCREASER T 4IN W/ 3IN BRANCH		204.17	
DV3PVP-TADX4B	INCREASER T 4IN W/3IN BRANCH BLK		221.32	
DV3PVP-VC	VERTICAL CAP - 3IN PIPE (6)		106.27	
DV3PVP-WS	WALL STRAP 3IN PIPE		43.73	
DV3PVP-WT	WALL THIMBLE-3IN PIPE (6)		122.16	
DV3PVP-WTI	3IN WALL THIMBLE AIR INTAKE KIT		285.65	
DV3PVP-X4	INCREASER 3IN TO 4IN (6)		110.90	
DV3PVP-X4AD	APPLIANCE ADAPT./INCR.3IN-4IN(6)		128.51	
DV3PVP-X4ADB	APPLIANCE ADAPT./INCR.3IN-4IN(6)		167.36	
DV3PVP-X4ADHB	APPLIANCE ADAPT./INCR.BLACK(6)		168.12	
DV3PVP-X6	DURA/PLUS ADAPTER-6IN (6)		155.89	
DV3PVP-X8	PELLET VENT PRO ADAPTER (6)		192.53	

4" PELLETVENT		
Item Number	Description	List
DV4PVP-06	6IN STRAIGHT LENGTH 4IN PIPE (6)	48.35
DV4PVP-06B	6IN STRAIGHT BLACK 4IN PIPE (6)	78.92
DV4PVP-12	12IN STRAIGHT LENGTH 4INPIPE (6)	69.14
DV4PVP-12A	12IN ADJ. LENGTH 4IN PIPE (6)	97.24
DV4PVP-12AB	12IN ADJ.LENGTH BLK.4IN PIPE (6)	138.04
DV4PVP-12B	12IN STRAIGHT BLACK 4INPIPE (6)	109.21
DV4PVP-18A	18IN ADJ. LENGTH 4IN PIPE (6)	149.53
DV4PVP-18AB	18IN ADJ.LENGTH BLK.4IN PIPE (6)	212.33
DV4PVP-24	24IN STRAIGHT LENGTH 4INPIPE (6)	107.99
DV4PVP-24B	24IN STRAIGHT BLACK 4INPIPE (6)	147.33
DV4PVP-36	36IN STRAIGHT LENGTH 4INPIPE (6)	140.24
DV4PVP-36B	36IN STRAIGHT BLACK 4INPIPE (6)	172.76
DV4PVP-48	48IN STRAIGHT LENGTH 4INPIPE (6)	159.30
DV4PVP-48B	48IN STRAIGHT BLACK 4INPIPE (6)	204.79
DV4PVP-60	60IN STRAIGHT LENGTH 4INPIPE (6)	190.09
DV4PVP-60B	60IN STRAIGHT BLACK 4INPIPE (6)	228.94
DV4PVP-60F	60IN FLEX 4IN PIPE (6)	412.24
DV4PVP-AD	APPLIANCE ADAPTER 4IN PIPE (6)	38.10
DV4PVP-ADFF	FEMALE FLEX ADAPTER 4INPIPE (6)	36.62
DV4PVP-ADFM	MALE FLEX ADAPTER 4INPIPE (6)	66.53
DV4PVP-CS	CATHEDRAL CEILING SUPPT.BOX-4IN	194.06
DV4PVP-E45	45 DEGREE ELBOW 4IN PIPE (6)	129.50
DV4PVP-E45B	45 DEGREE ELBOW BLK.4INPIPE (6)	161.03
DV4PVP-E90	90 DEGREE ELBOW 4IN PIPE (6)	179.84
DV4PVP-E90B	90 DEGREE ELBOW BLK.4INPIPE (6)	209.64
DV4PVP-F12DS	DSA FLASHING 7/12-12/12	117.30
DV4PVP-F6	ADJ.FLASHING (6)	40.80
DV4PVP-F6DS	DEAD SOFT ALUMINUM FLASHING	110.68
DV4PVP-FF	TALL CONE FLASHING 4IN (6)	53.98
DV4PVP-FS	CEIL.SUPT./FIRE.SPACER (6)	109.21
DV4PVP-GA	4" PALLET REPLACEMENT GASKET	11.10
DV4PVP-HC	RD HORIZ 4IN CAP (6)4PVP-HC2	90.96
DV4PVP-HS	HOUSE SHIELD 4IN PIPE (6)	72.08
DV4PVP-IS	ATTIC INSULATION SHIELD	98.46
DV4PVP-RC	REDUCTION COLLAR (6)	38.80
DV4PVP-SC	STORM COLLAR 4IN PIPE (6)	12.20
DV4PVP-T	SINGLE T W/CLEAN-OUT T-CAP (6)	200.37
DV4PVP-T3	INCR. T-W/CLEAN-OUT T-CAP (6)	194.97
DV4PVP-TB	SGL T-W/CLEANOUT T-CAP BLK (6)	221.86
DV4PVP-VC	VERTICAL CAP 4IN PIPE (6)	113.36
DV4PVP-WS	WALL STRAP 4IN PIPE	47.39
DV4PVP-WT	WALL THIMBLE (6)	131.21
DV4PVP-WTI	4IN WALL THIMBLE AIR INTAKE KIT	306.90
DV4PVP-X6	DURA/PLUS ADAPTER - 6IN (6)	163.70
DV4PVP-X8	DURA/PLUS ADAPTER - 8IN (6)	198.16
DV4PVP-WSA	ADJUSTIBLE WALL STRAP	51.54

DuraPlus[®]

All-fuel, triple-wall
chimney system.
UL 103 HT.



Specifications

Applications

DuraPlus Chimney is a triple-wall, all-fuel chimney for use with wood stoves, fireplaces, furnaces, boilers, stoves, ranges, water heaters, or other appliances fueled by wood, oil, coal, or gas.

Materials and Construction

.016" 430 stainless steel outer wall or .018" galvanized steel outer wall. .018" aluminized steel intermediate liner. .016" 430 stainless steel inner liner. Insulated layers of ceramic blanket plus ventilated air space. Locks tightly with a precision twist-lock connection.

Clearances

2" clearance to combustibles.

Diameters

6"-8"

Listings

UL Listed to UL 103HT (MH7399).



UL 103 HT System

DuraPlus


DuraPlus is designed to stay cool on the outside, to provide a hot draft on the inside, to boost stove efficiency, and to provide for a fire-safe design that protects both the chimney and the building. This triple-wall chimney features two insulating layers (ceramic blanket, plus air space). The ceramic blanket insulation is held securely in position, eliminating hot spots common with loose-fill type insulations. In the event of a creosote fire, the compressible blanket insulation permits the chimney liner to expand outwardly in a radial direction.

Designed for normal, continuous operation at 1000° F flue gas temperatures, DuraPlus is subjected to rigorous and stringent HT requirements of the UL standard, including one hour at 1400° F, plus three ten minute chimney fire tests at 2100° F.




DuraVent
Member of M&G Group


Typical Installations




Attic Offset




Cathedral Ceiling
Roof Support




Through-the-Wall



Oil Furnace




Manufactured Home



Fireplace
(New or retrofit)

Installation Key			
1	DVL or DuraBlack Stovepipe	12	Tee Support Bracket
2	Ceiling Support Box	13	Wall Strap
3	Wall Thimble	14	Firestop Radiation Shield
4	DuraPlus Chimney	15	Snap-Lock Adapter, DVL/DuraBlack Chimney Adapter, DuraBlack Slip Connector
5	Attic Insulation Shield	16	Extended Roof Bracket
6	Roof Flashing	17	DVL or DuraBlack Chimney Adapter
7	Storm Collar	18	DVL or DuraBlack Tee
8	Chimney Cap	19	DVL or DuraBlack Elbow
9	Elbow	20	Chase Top Flashing
10	Elbow Strap	21	Anchor Plate
11	Tee with Cap		

- Refer to our Typical Venting Installation drawings to select the appropriate component parts for your installation.
- A DVL/DuraBlack Chimney Adapter or DuraBlack Slip Connector must be used when connecting DVL or DuraBlack stovepipe to A Ceiling Support or Wall Thimble. A Snap-Lock Adapter must be used when attaching snap-lock stovepipe to DuraPlus.
- A Wall Thimble must be installed with an appropriate section of chimney pipe for all horizontal through-the-wall installations. To accommodate thicker walls a wall thimble extension can be field fabricated.
- An Attic Insulation Shield must be used in all installations that pass through an attic, regardless of whether the attic is insulated or not. If chimney is enclosed in a chase in the attic space, an Attic Insulation Shield is not required.
- A Firestop Radiation Shield must be used when a chimney passes through a floor or ceiling without a Ceiling Support Box.



DuraChimney® II
Air-cooled chimney system
for masonry fireplaces.
UL 103.



Specifications

Applications

DuraChimney II is a double-wall, air-cooled chimney system for use with masonry fireplaces which burn wood, oil, coal, or gas.

Materials and Construction

.016" 430 stainless steel inner wall and .021" galvanized steel outer wall. For stainless steel outer wall, contact Customer Service for a quote.

Unitized pipe sections. No field assembly of inners and outers required.

Clearances

2" clearance to combustibles.

Shrouds

UL Listed with DuraVent shroud specifications. Information available online at www.duravent.com or call and request L181.

Diameters

10", 12", 14", and 16".

Listings

UL Listed to UL 103 and ULC S604 standards (MH7399).



UL 103 and ULC S604 System

DuraChimney II

DuraChimney II is an exceptional factory-built alternative to pre-fabricated masonry chimneys. DuraChimney II is a unitized, lightweight design which eliminates the need for field assembly of pipe sections, allowing for faster installation.


DuraChimney II is designed to stay cool on the outside, to provide a hot draft on the inside and to provide a fire-safe design that protects both the chimney and the building.

The double-wall, air-cooled design allows the chimney to expand both radially and lengthwise under high temperatures.


DuraChimney II is tested and listed for continuous operation at 1000°F flue gas temperatures, one hour at 1400°F and ten-minutes at 1700°F, in accordance with the UL 103 test standard.



Typical Installations




Masonry Firebox with Metal Chimney




Prefabricated Masonry Fireplace Kit with Metal Chimney

Installation Key			
1	Chimney Cap	8	Stabilizer
2	Storm Collar	9	Firestop
3	Chase Top Flashing	10	Attic Insulation Shield
4	Roof Radiation Shield	11	Anchor Plate/ Anchor Plate with Damper
5	Chimney Section	12	Supplementary Support
6	Elbow	13	Wall Strap
7	Elbow Strap		

Refer to our Typical Installation drawings to select the appropriate component parts for your installation.



		<div>DURAVENT</div> <div>Pricing Guide</div> <div>Committed to Providing Exceptional Products and</div>		
Item Number		Description	List	
DURA CHIMNEY II				
DV14DCA-12	DURA CHIMNEY II 14INX12IN	162.15		
DV14DCA-18	DURA CHIMNEY II 14INX18IN	190.02		
DV14DCA-36	DURA CHIMNEY II 14INX36IN	314.17		
DV14DCA-48	DURA CHIMNEY II 14INX48IN	336.98		
DV14DCA-E15	DURA CHIMNEY II 15 DEG ELBOW	321.78		
DV14DCA-E30	DURA CHIMNEY II 30 DEG ELBOW	321.77		
DV14DCA-FS	DURA CHIMNEY II FIRESTOP	88.68		
DV14DCA-SC	DURA CHIMNEY II STORM COLLAR	55.74		
DV14DCA-VC	DURA CHIMNEY II CHIMNEY CAP	504.20		
6" DURABLACK				
DV6DBK12	SGL.WALL 6INX12IN BLACK PIPE	44.41		
DV6DBK24	SGL.WALL 6IN X 24IN BLACK PIPE	49.71		
DV6DBK48	SGL.WALL 6INX48IN BLACK PIPE	83.80		
DV6DBKAD	SGL.WALL 6IN STOVETOP ADAPTOR	39.67		
DV6DBKADDB	SGL WALL 6IN SKIRTED ADAPTOR	58.22		
DV6DBKADOR	SGL.WALL 6IN ROUND TO OVAL	47.32		
DV6DBKADSL	6IN SNAP LOCK ADAPTER (6691)	100.93		
DV6DBKDS	SGL.WALL 6IN DAMPER SECTION	73.08		
DV6DBKE45	SGL.WALL 6INX45 DEGREE ELBOW	44.76		
DV6DBKE90	SGL.WALL 6INX 90 DEGREE ELBOW	56.23		
DV6DBKSC	6IN DB SLIP CONNECTOR W/ TRIM	66.38		
DV6DBKT	SGL.WALL 6IN TEE BLACK	130.95		
DV6DBKTC	SGL.WALL 6IN TRIM COLLAR	26.11		
DV6DBKTL	TELESCOPING LENGTH 44IN-68IN	173.51		
DV6DBKXS8	SGL.WALL 6IN-8IN INCREASER BLACK	86.80		
8" DURABLACK				
DV8DBK12	SGL.WALL 8INX12IN BLACK PIPE	45.82		
DV8DBK24	SGL.WALL 8INX24IN BLACK PIPE	58.02		
DV8DBK48	SGL.WALL 8INX48IN BLACK PIPE	94.57		
DV8DBKAD	SGL.WALL 8IN STOVETOP ADAPTOR	54.99		
DV8DBKADDB	SGL.WALL 8IN SKIRTED ADAPTOR	59.63		
DV8DBKADOR	SGL.WALL 8IN ROUND TO OVAL	56.33		
DV8DBKADSL	8IN SNAP LOCK ADAPTER	123.73		
DV8DBKDS	SGL.WALL 8IN DAMPER SECTION	93.54		
DV8DBKE45	SGL.WALL 8INX45 DEGREE ELBOW	53.51		
DV8DBKE90	SGL.WALL 8INX90 DEGREE ELBOW	73.50		
DV8DBKSC	8IN DB SLIP CONNECTOR	80.06		
DV8DBKT	SGL.WALL 8IN TEE BLACK	182.45		
DV8DBKTC	SGL.WALL 8IN TRIM COLLAR	41.59		
DV7DBKX8	SGL.WALL 7IN-8IN INCREASER BLACK	94.26		

6" DVL		
Item Number	Description	List
DV6DVL06	DVL DBL.WALL BLK.6INX 6IN PIPE	94.39
DV6DVL12	DVL DBL.WALL BLK.6INX 12IN PIPE	100.90
DV6DVL12ADJ	DVL DBL.WALL BLK.ADJ.PIPE 12IN	125.30
DV6DVL18	DVL DBL.WALL BLK.6INX 18IN PIPE	119.95
DV6DVL24	DVL DBL.WALL BLK.6INX 24IN PIPE	166.17
DV6DVL46TA	DVL DBL.WALL BLK.6INX 48IN SLIP	302.73
DV6DVL48	DVL DBL.WALL BLK.6INX 48IN PIPE	255.48
DV6DVL68TA	DVL DBL.WALL BLK.6INX 68IN SLIP	401.66
DV6DVL6ADJ	DVL DBL.WALL BLK.6INX 6IN SLIP	102.59
DV6DVLAD	DVL DBL.WALL BLK.ADAPTER	89.29
DV6DVLADC	6IN CHMINEY ADAPTER DB & DVL	57.76
DV6DVLADT	6IN DVL CHIMNEY ADAPTER	105.87
DV6DVLADWD	DVL DBL.WALL BLK.ADAPTER	122.11
DV6DVLE45	DVL DBL.WALL BLK.45 DEGREE EL.	131.56
DV6DVLE90	DVL DBL WALL BLK.90 DEGREE EL.	197.11
DV6DVL T	DVL DBL.WALL BLK.TEE 6IN	170.34
DV6DVLX8	DVL DBL.WALL BLK.6IN-8IN	163.35
DV6DVL-AD-R	STOVETOP ADAPT FOR RECESSED COLLAR STOVE	99.14
8" DVL		
DV8DVL12	DVL DBL.WALL BLK.8INX 12IN PIPE	152.35
DV8DVL12ADJ	DVL DBL.WALL BLK.8INX 12IN SLIP	176.58
DV8DVL18	DVL DBL.WALL BLK.8INX 18IN PIPE	197.16
DV8DVL24	DVL DBL.WALL BLK.8INX 24IN	212.73
DV8DVL46TA	DVL DBL.WALL BLK.8INX 48IN SLIP	397.71
DV8DVL48	DVL DBL.WALL BLK. 8INX 48IN PIPE	344.39
DV8DVL68TA	DVL DBL.WALL BLK.8INX 68IN	479.14
DV8DVL6ADJ	DVL DBL.WALL BLK.8INX 6IN	146.34
DV8DVLAD	DVL DBL.WALL BLACK ADAPTER	137.99
DV8DVLADC	8IN DVL/DB ADAPTER W/ TRIM	70.43
DV8DVLADT	8IN DVL CHIMNEY ADAPTER	120.77
DV8DVLADWD	DVL DBL.WALL BLK.ADAPTER	188.87
DV8DVLE45	DVL DBL.WALL BLK.45 DEGREE	187.00
DV8DVLE90	DVL DBL.WALL BLK.90 DEGREE	267.07
DV8DVLORAD	OVAL TO ROUND ADAPTER 8IN	212.15
DV8DVL T	DVL DBL.WALL BLK.TEE 8IN	287.62

6" DURAPLUS		
Item Number	Description	List
DV6DP06	DURA/PLUS 6INX 6IN PIPE	125.11
DV6DP09	DURA/PLUS 6INX 9IN PIPE	147.19
DV6DP12	DURA/PLUS 6INX 12IN PIPE	167.97
DV6DP24	DURA/PLUS 6INX 24IN PIPE	247.90
DV6DP36	DURA/PLUS 6INX 36IN PIPE	350.79
DV6DPCS11	DURA/PLUS 11IN SUPPORT BOX 6IN	189.18
DV6DPCS24	DURA/PLUS 24IN SUPPORT BOX 6IN	211.96
DV6DPCS36	DURA/PLUS 36IN SUPPORT BOX 6IN	443.59
DV6DPE15	DURA/PLUS 15 DG.ELBOW 6IN KIT	588.79
DV6DPE30	DURA/PLUS 30 DG.ELBOW 6IN KIT	813.30
DV6DPF12	DURA/PLUS FLASHING 6IN	220.43
DV6DPF6	DURA/PLUS FLASHING 6IN	130.58
DV6DPFCS	DURA/PLUS FLAT CEILING SUP.6IN	165.65
DV6DPFF	DURA/PLUS FLASHING FLAT 6IN	141.32
DV6DPFRS	DURA/PLUS FIRESTOP 6IN	148.11
DV6DPIS	DURA/PLUS INSULATION SHIELD	165.11
DV6DPRCS	DURA/PLUS RD.CEILING SUP.6IN	243.60
DV6DPSC	DURA/PLUS STORM COLLAR 6IN7IN8IN	28.01
DV6DPVC	DURA/PLUS CHIMNEY CAP 6IN	169.43
DV6DPWS	DURA/PLUS WALL STRAP 6IN	61.63
DV6DPWT	DURA/PLUS WALL THIMBLE 6IN	152.72
DV6DPXRB	DURA PLUS ROOF BRACKET 6IN	233.24
8" DURAPLUS		
DV8DP06	DURA/PLUS 8INX 6IN PIPE	197.25
DV8DP09	DURA/PLUS 8INX 9IN PIPE	224.09
DV8DP12	DURA/PLUS 8INX12INPIPE	266.62
DV8DP24	DURA/PLUS 8INX 24IN PIPE	362.71
DV8DP36	DURA/PLUS 8INX 36IN PIPE	511.61
DV8DPBP	DURA/PLUS BASE PLATE 8IN	148.45
DV8DPCS11	DURA/PLUS 11IN SUPPORT BOX 8IN	256.23
DV8DPCS24	DURA/PLUS 24IN SUPPORT BOX 8IN	278.82
DV8DPE30	DURA/PLUS 30 DG.ELBOW 8IN KIT	951.48
DV8DPF12	DURA/PLUS FLASHING 8IN	301.18
DV8DPF6	DURA/PLUS FLASHING 8IN	180.43
DV8DPFCS	DURA/PLUS FLAT CEILING SUP.8IN	179.29
DV8DPFF	DURA/PLUS FLASHING FLAT 8IN	212.12
DV8DPFRS	DURA/PLUS FIRESTOP 8IN	165.65
DV8DPT	DURA/PLUS TEE W/CAP 8IN	682.16
DV8DPTSB	DURA/PLUS TEE SUPPORT 8IN	247.88
DV8DPVC	DURA/PLUS CHIMNEY CAP 8IN	254.59
DV8DPWS	DURA/PLUS WALL STRAP 8IN	77.46
DV8DPWT	DURA/PLUS WALL THIMBLE 8IN	196.62
DV8DPXRB	DURA/PLUS ROOF BRACKET 8IN	246.47



PREMIUM PRODUCTS

VENTED GAS LOGS

For more than 30 years we have been creating the most beautiful and realistic gas logs available. We offer a full line of handcrafted vented gas logs and vent free gas logs in standard and large sizes, for single open and the see-through fireplaces. If you desire to enhance your fireplace with gas logs, we have everything you need to make it happen!

Radiant Heat Series

Radiant Heat logs redefine the role of a vented gas log set. Our revolutionary molding process captures all the detail you expect from Hargrove in ceramic fiber with **3x's the heat of a standard refractory concrete vented gas log set.**



Aspen Timbers

- Available in 4 sizes 21”-36”
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Canyon Timbers

- Available in 4 sizes 21”-36”
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Cross Timbers

- Available in 4 sizes 21”-36”
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Rustic Timbers

- Available in 4 sizes 21”-36”
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Woodland Timbers

- Available in 4 sizes 21”-36”
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner

Charred Series



Inferno Series

- Available in 4 sizes 18"-30"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Magnificent Inferno

- Available in 4 sizes 21"-36"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Supreme Ponderosa

- Available in 6 sizes 24"-60"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Twilight Inferno

- Available in 4 sizes 21"-36"
- Single Side Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner

Contemporary Series



Cannon Balls

- Available in 3 sizes 18"-30"
- All Sets are See-Thru or Single Side compatible
- Utilizes Full-Pan Burner System



Driftwood

- Available in 3 sizes 18"-30"
- All Sets are See-Thru or Single Side compatible
- Utilizes Full-Pan Burner System



Blue Glass

- Available in 3 sizes 18"-30"
- All Sets are See-Thru or Single Side compatible
- Utilizes Full-Pan Burner System



River Stones

- Available in 3 sizes 18"-30"
- All Sets are See-Thru or Single Side compatible
- Utilizes Full-Pan Burner System

Fresh Cut Series



Classic Oak

- Available in 5 sizes 15"-30"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Driftwood

- Available in 3 sizes 18"-28"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Grand Oak

- Available in 8 sizes 18"-48"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Hargrove Select

- Available in 9 sizes 18"-66"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Mountain Timber

- Available in 7 sizes 21"-60"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner



Western Pine

- Available in 8 sizes 15"-48"
- Single Side and See-Thru Sets Availalble
- Works with E-Burner, H-Burner, HC Burner and System 4 Burner

Large Series



Kodiak Char Double Stack

- Available in 5 sizes 24"-60"
- Available in Triple Stack (30"-60")
- Utilizes Double Stack Burner



Kodiak Split Double Stack

- Available in 4 sizes 30"-60"
- Available in Triple Stack
- Utilizes Double Stack Burner



Kodiak Timbers

- Available in 4 sizes 21"-36"
- Single Side Sets available
- Utilizes Double Stack Burner



Mountain Timber

- Available in 7 sizes 21"-60"
- Works with E-Burner, H-Burner, and System 4 (up to 30")
- Utilizes Ember Supreme Burner



Summit Oak

- Available in 3 sizes 36"-48"
- Single Side Sets Available
- Utilizes Summit Oak Burner

Pinnacle Series



Sierra Stack

- Available in 4 sizes 15”-30”
- Single Side Sets available
- Utilizes Pinnacle Burner system



Everest Stack

- Available in 3 sizes 18”-30”
- Single Side Sets available
- Utilizes Pinnacle Burner system



Olympia Stack

- Available in 3 sizes 18”-30”
- Single Side Sets available
- Utilizes Pinnacle Burner system

Accessory Options



Bark Chip Kit



Twig Kit




Pinecones



Fiber Char Chunk Kit

Control Options




CPE



CPE with LCK



LT CMT



RME



CP CMT



RMBE



Gas Fire Logs

Beauty, Warmth & Atmosphere that Will Never Turn to Ashes.

HARGROVE gas fire logs carry a limited lifetime warranty against breakage in the original fireplace. All accessories carry a two-year limited warranty in the original fireplace.

- CLEAN:** No logs to carry in, no ashes to carry out, no messy woodpile! HARGROVE gas logs produce less pollution than burning wood.
- SAFE:** HARGROVE logs are cast in refractory concrete and reinforced with steel lath. They will withstand temperatures of over 2000° F. and eliminate dangerous sparks made by wood fires.
- ECONOMICAL:** For less than the cost of burning wood, these logs will radiate heat for hours after the gas has been turned off.
- CONVENIENT:** A realistic fire is yours, complete with glowing embers, by simply striking a match and turning on a valve. All HARGROVE vented as log sets are designed to function in a fully vented metal or masonry fireplace with a natural gas supply where wood can be burned safely. The flue damper must be fully open during use.

Loose Log Sets

All NEW Installations Require an Accessory Kit AND a Loose Log Set

RUSTIC TIMBERS

RUSTIC TIMBERS further refines Hargrove's Vesta Award Winning Radiant Heat vented log series, and Radiant Riser™ technology. For radiant heat production comparable to a vent-free log set, while retaining the beauty and realism found only in Hargrove vented gas logs.

RTS2110AA	21" Log Set (Logs Only)	\$554.03
RTS2411AA	24" Log Set (Logs Only)	628.16
RTS3012AA	30" Log Set (Logs Only)	719.31
RTS3614AA	36" Log Set (Logs Only)	764.42

INFERNO

The HARGROVE INFERNO SERIES is the most realistic gas log set yet. Instead of a nice, neat stack of logs that look “staged”, Inferno has a fire that doesn't look like it was just lit, the INFERNO SERIES appears to be a wood fire that's an hour or two old, with flames that are working away on the partially burned logs.

ISS1805AA	18" Gas Log Set (Logs Only)	\$241.44
ISS2106AA	21" Gas Log Set (Logs Only)	290.52
ISS2406AA	24" Gas Log Set (Logs Only)	445.81
ISS3007AA	30" Gas Log Set (Logs Only)	565.04

INFERNO SETS

(For See Thru Fire Place)

ISS2410ST	24" Gas Log Set (Logs Only)	\$645.20
ISS3011ST	30" Gas Log Set (Logs Only)	753.38

WESTERN PINE

The HARGROVE WESTERN PINE! Experience the beauty of mountain grown pine in the comfort of your own home. Craftsmanship and details so refined you will be checking your fingers for splinters. HARGROVE'S WESTERN PINE logs are cast from real pine trees selected for their gnarls and twists.

WPS1504AA	15" Gas Log Set (Logs Only)	\$159.30
WPS1805AA	18" Gas Log Set (Logs Only)	241.44
WPS2106AA	21" Gas Log Set (Logs Only)	319.59
WPS24 07AA	24" Gas Log Set (Logs Only)	434.81
WPS3008AA	30" Gas Log Set (Logs Only)	552.01
WPS3609AA	36" Gas Log Set (Logs Only)	705.30


WESTERN PINE SET

(For See Thru Fire Place)

WPS2105SN	21" Gas Log Set (Logs Only)	\$433.81
WPS2409ST	24" Gas Log Set (Logs Only)	594.10
WPS3009ST	30" Gas Log Set (Logs Only)	752.38

PONDEROSA SUPREME

SPS-3008AA	30" Gas Log Set (Logs Only)	\$767.42
SPS-3609AA	36" Gas Log Set (Logs Only)	968.77





Accessory Kits

ACCESSORY KITS - RADCO Listed Natural Gas Accessory Kits
Includes Pedestal Grate, Ember Burner Pan, Silica Sand, Volcanic Cinders, Embers, Aluminum Connector, Fittings and Instructions. RADCO Approved Kits include the above plus a main burner orifice, damper clamp and a rating plate.

PLEASE NOTE: All NEW Installations Require a Loose Log Set AND an Accessory Kit

Accessory Kits

for Log Sets (No safety pilot control)

15RNEBOA1	Use with 15" Log Sets	\$227.42
18RNEBOA5	Use with 18" Log Sets	250.47
24RNEBOA5	Use with 24" Log Sets	277.51
30RNEBOA5	Use with 30" Log Sets	318.57
36RNEBOA5	Use with 36" Log Sets	407.74

Accessory Kits

for "See Thru" Log Sets (No safety pilot control)

18RNSSOA5	Use with 15-18" Log Sets	\$368.16
24SNSTOA5	Use with 24" Log Sets	443.81
30SNSTOA5	Use with 30" Log Sets	498.91

Parts & Accessories

FCNW-18	18" Aluminum Control Connector	\$23.05
CPC-C	Safety Pilot Control	100.19
SPC-K	Knob for CPC-C	9.02
CPE-PCK-18	18" - 27" LP Conversion Kit	50.10
CPE-PCK-30	30" - 36" LP Conversion Kit	50.10
CPE-PO	Safety Pilot Control - Parts Only	174.32
CP-CMT-PO	Cool Mount Safety Control	174.32
DEI-PO	Electronic Ignition	514.96
LCK-RC	Latch Tap Block Kit for CPE-PO (w/ Remote)	326.59
LCK-WS	Latch Tap Block Kit for CPE-PO (w/ Wall Switch)	270.51
LT-CMT-PO	Cool Mount Latch Tap	499.93
RC-S12V-MV	MVPC System Remote Control (Battery Powered)	109.20
RMBE-PO	Millivolt Valve (150,000 BTU)	527.98
RME-PO	Millivolt Valve and Parts - Natural	474.88
RS-PCK-18	18 - 27" LP Conversion Kit for RME-PO Valve	87.17
RS-PCK-30	30 - 36" LP Conversion Kit for RME-PO Valve	87.17
RST-36	36" Thermocouple Only	23.05
RSTPB-18	18" Thermocouple & Pilot Burner Assembly	28.05
RSTPB-36	36" Thermocouple & Pilot Burner Assembly	37.05
SPC-EH	SPC - Extension Handle	11.02
MH-CMT-PO-RC	Cool Mount Safety Pilot (w/ Variable Flame Height & Remote)	580.06



Creative Accessories

HARGROVE MFG. presents the latest in fire log fashion accessories for the well dressed fireplace. Stack them by the fireplace or add them to existing sets as swap out pieces or a new and different look. Twigs and pine cones make an exciting fireplace fashion statement. Hargrove is committed in achieving the highest standards of quality.

Fire Pit Loose Log Set

Item #WCS2006FL - Fire Pit Loose Logs Only **\$259.67**
(Volcanic Cinders Not Included)

*RW Stocks the Fire Pit Log Set Only
Accessory Kit Must be Special Ordered*

Burner Pan Accessories


BCK-NEW	Bark Chip Kit	\$34.07
RW	Glowing Embers - 3oz. Bag	29.07
SD-1	Silica Sand - 8oz Bag	23.05
VC-1	Volcanic Cinders - 5lb Bag	21.05
VM-1	Vermiculite - 1lb Bag	27.05

H Burner Accessory Kits

18RNHBOA5	Use with 18" Logs	\$304.56
24RNHBOA5	Use with 24" Logs	329.62
30RNHBOA5	Use with 30" Logs	370.69

- * Requires Minimum 14" Depth
- * Includes Burner Pan (5/8" Grate)
- * Sand, Embers, Cinders Included
- * Flex Connectors Included
- * NO Safety Pilot Included

Pine Cones



1201-BX	Pine Cone - Small	\$21.05
1210-BX	Pine Cone - Large	\$25.05

Linear Electric Fireplaces

Electric

Which Style is Right for You?

Scion Trinity

- Visually striking multisided design
- Install as three-sided (bay), two-sided (left- or right-corner), or single-sided
- Cleanest finish with concealed heat vents
- Tall, 15-inch high viewing for impactful room presence
- Extra-deep ember bed for an impressive media display
- Clear crystal media and driftwood logs with glowing embers come standard

You deserve a choice, and we offer Best-Better-Good models to fit your budget and how you value features differently—all with SimpliFire dazzle and ease of use.

Best Scion Trinity



Scion

- Cleanest finish with concealed heat vents
- Tall, 15-inch high viewing for impactful room presence
- Extra-deep ember bed for an impressive media display
- Clear crystal media and driftwood logs with glowing embers come standard

Best Scion



Better Allusion Platinum



Allusion Platinum

- Tall, 15-inch high viewing area with minimal frame
- Installs flush into a 2x6 wall, maximizing floor space
- Clear crystal and ceramic white stone media come standard

Good Allusion



Allusion

- Flexibility to recess fully, recess partially, or hang on the wall

Scion Trinity

Create an alluring atmosphere from any angle with the SimpliFire Scion Trinity electric fireplace. In three-sided, corner, or single-sided configurations, it adds stunning ambiance without the need for gas lines or venting.

Features

- Bring finishing materials right to the edge of the fireplace for a flush, built-in look
- No mesh screen or visible heat vents
- Accent lighting for greater warmth and ambiance
- Clear crystal media and driftwood logs with glowing embers come standard
- Available in 43" and 55" models



Scion Trinity 55" with floating mantel kit




Scion Trinity 55" with Driftwood logs

Scion Trinity Series

Model	BTU Output	Width (A)		Height (B)		Depth (C)		Viewing Area (D x E)
		Unit	Framing	Unit	Framing	Unit	Framing	
SF-SCT43-BK	5,000	42-1/2" [1080]	42-3/4" [1086]	22" [559]	22-1/4" [565]	11-1/4" [286]	11-1/2" [194]	42-1/2" x 14-3/4" [1080 x 375]
SF-SCT55-BK	5,000	54-1/2" [1384]	54-5/8" [1387]	22" [559]	22-1/4" [565]	11-1/4" [286]	11-1/2" [194]	54-1/16" x 14-3/4" [1373 x 375]

R/W Stocks

Item Number	Description	List Price
HSF-SCT43-BK	43" Scion Trinity 3-Sided	\$2,323.55
HSF-SCT43-MANTEL	Floating Mantel Kit Wall	567.21
HSF-SCT55-BK	55" Scion Trinity 3-Sided	\$2,685.14
HSF-SCT55-MANTEL	Floating Mantel Kit Wall	722.16
HBRACKET-ALL48	Mount Kit	102.27



Scion

Distinctly express your style. Seamlessly finish your wall and bring materials right to the edge of the fireplace for sleek look. Concealed vents, dynamic flame and vibrant lights bring your room to life, clean and simple.

Features

- Bring finishing materials right up to the edge of the fireplace for a flush, built-in look
- No mesh screen or visible heat vents
- Accent lighting for greater warmth and ambiance
- Clear crystal media and driftwood logs with glowing embers come standard
- Available in 43", 55", and 78" wide models



Scion 55" linear shown with orange flame and Driftwood logs

Model	BTU Output	Width (A)		Height (B)		Depth (C)		Viewing Area (D x E)
		Unit	Framing	Unit	Framing	Unit	Framing	
SF-SC55-BK	5,000	56-1/2" [1435]	57" [1448]	23-7/8" [606]	24-1/4" [616]	7-5/8" [194]	7-5/8" [194]	53-1/4" x 15" [1353 x 381]

R/W Stocks


Item Number	Description	List Price
HSF-SC55-BK	55" Scion Clean Face Linear	\$2,375.20



Clear crystals



Driftwood logs



Allusion Platinum

Creating an elegant focal point in your home has never been easier. Designed with comfort and ambiance in mind, the Allusion Platinum provides an impressive viewing area within a minimal frame.

Features

- Clear crystal media and ceramic white stones come standard
- Available in 50", 60", and 72" wide models
- Flexible installation: Fully recess for a flush look, or surface-mount with the optional wall-mount kit



Wall Mounted



Fully Recessed



Allusion Platinum 60" linear shown with blue flame and ceramic white stones

Allusion Platinum Linear Series

R/W Stocks


Item Number	Description	List Price
HSF-ALLP50-BK	50" Allusion Platinum Electric	\$1,497.03
HSF-MEDIA-LOGS	Fireplace Driftwood Logs	112.62

Optional media




Driftwood Logs


Model	BTU Output	Width			Height			Depth		Viewing Area (F x G)
		Front (A)	Back (B)	Framing	Front (C)	Back (D)	Framing	Unit (E)	Framing*	
SF-ALLP50-BK	5,000	52-5/16" [1329]	50-1/2" [1295]	51" [1295]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	48" x 15" [1219 x 381]



Front View



Top View



Side View

Allusion

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and LED ember bed lighting themes.

Features

- Clear crystal media creates the illusion of a soothing fire rising from a lighted ember bed
- Available in 40", 48", 60" or 84" wide models
- Simple touch controls on the fireplace front for added convenience
- Flexible installation: fully or partially recess or hang on the wall



Fully Recessed



Partially Recessed



Wall Mounted




Allusion 48" linear shown with blue orange flame, white ember bed lighting and clear crystal media

Model	BTU Output	Width			Height			Depth		Viewing Area (F x G)
		Front (A)	Back (B)	Framing*	Front (C)	Back (D)	Framing*	Unit (E)	Framing*	
SF-ALL48-BK	5,000	48-7/16" [1230]	42-13/16" [1088]	44-5/16" [1126]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	2" x 6"	39-3/8" x 11-1/4" [1000 x 285]
SF-ALL60-BK	5,000	60-1/4" [1530]	54-5/8" [1388]	56-1/8" [1426]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	2" x 6"	51-3/16" x 11-1/4" [1300 x 285]

R/W Stocks

Item Number	Description	List Price
HSF-ALL48-BK	48" Allusion Linear Fireplace	\$1,342.04
HTRIM-ALL-48	Trim for Recessed Installations	98.14
HSF-ALL60-BK	60" Allusion Linear Fireplace	1,652.00
HTRIM-ALL-60	Trim for Recessed Installations	109.52
HSF-STONES-WHITE	Ceramic White Stones	91.95
HSF-MEDIA-LOGS	Driftwood Logs	112.62



Authentic Style, Unmatched Ease

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four-step flame height adjustments enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience “Fire Made Simple.”

Features

- 100% efficient, adjustable heat that costs just pennies an hour to operate
- Enjoy the ambiance with or without heat
- Enjoy more than 100,000 hours of operation thanks to LED flame technology
- Intuitive, multifunction remote for control at your fingertips
- Zone heat your space to remain comfortable, while reducing your monthly bills
- Available in 30” or 36” models
- Up to 4,800 BTUs or 10,000 BTUs, depending on choice of power input
- 30” model provides 648 sq in of viewing and the 36” model provides 933 sq in of viewing for the largest in their class



RW Stocks

Item Number	Description	List Price
HSF-BI36-EB	36" Built-In Electric Fireplace	\$1,445.36
HSF-EF36-BK	Optional Black Front	184.92
HSF-INS30	30" Electric Fireplace Insert	1,207.16
HSF-SI4027-INS30	Small Surround Insert	192.14
HSF-SI4230-INS30	Large Surround Insert	240.47




36-Inch Built-In

- Efficient LED lighting and flame technology
- Multi-function remote standard



Optional Front

- The optional front offers a tailored appearance to the hearth, and the black finish complements any home décor




Cover: 36-Inch Built-In shown with kenwood mantel.
Above: 30-Inch Built-In shown with westcott mantel and optional black front.

Specifications

Model	BTU Output		Width (A)		Height (B)		Depth (C)		Rear Width (D)	
	120V	240V	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing
36" Built-In SF-BI36-EB	4,800	10,000	37"	38"	31-7/32"	120V = 33-11/16" 240V = 35-11/16"	11"	11-5/8"	30"	38"

Dimensions



Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. Refer to installation manual for detailed specifications on installing this product. SimpliFire reserves the right to update units periodically.



MF **FIRE**

MF **FIRE**

Beautiful Wood Stoves for Modern Living

R/W is Proud to Carry

**Nova Nova 2
Catalyst**



NOVA SERIES

FREE STANDING | TOWER | INSERT



NOVA FREE STANDING

NOVA

PERFORMANCE
Heating Capacity: Up to 1,500 ft ²
Max. Heat Output: 50,000 BTU/hr
Max. Efficiency: 79%
EPA Emissions: 1.9 g/hr
Firebox: 1.7 ft ³
Stove Dimensions: 24" H x 22.5" W x 18.5" D
Glass Dimensions: 12.25" H x 14.25" W
Blower (Optional): 125 CFM
Log Size: 18"
15+ Hour No-Match Restart

NOVA 2



PERFORMANCE
Heating Capacity: Up to 2,500 ft ²
Max. Heat Output: 75,000 BTU/hr
Max. Efficiency: 81%
EPA Emissions: 1.9 g/hr
Firebox: 2.4 ft ³
Stove Dimensions: 26.5" H x 27" W x 18.5" D
Glass Dimensions: 13.75" H x 17.75" W
Blower (Optional): 125 CFM
Log Size: 22"
17+ Hour No-Match Restart



Simple and Easy to Use

Nova is designed to take the guess work and tinkering out of wood burning. Perfect for both the casual wood burner and lifelong burner, there is no longer a need to adjust burn settings. Just light a fire and an efficient, clean burn is delivered every time.

Easy Hearth Mount Installations

Nova's top and rear vent capability sets it up for easy hearth mount installations. Adding a contemporary touch to a traditional look, allowing for true warmth of a wood stove while never compromising the beauty of your existing fireplace.

Focus on the Fire

Nova's viewing area mimics the size of the firebox allowing for an intimate experience every time. Up to 245 in² of glass showcases the beauty and warmth that a wood fire brings.



Both ash lips are adjustable to extend either 4" or 6"



NOVA TOWER

Nova Tower is the natural evolution of Nova. Still designed to take the guess work and tinkering out of wood burning but offering easier loading and built-in storage. Making it perfect for both the casual wood burner and lifelong burner, there is no longer a need to adjust burn settings. Just light a fire and an efficient, clean burn is delivered every time.

NOVA TOWER

Dimensions: 43" H x 22.5" W x 18.5" D
 Firebox: 1.7 ft³
 Blower (Optional): 125 CFM
 Storage: 4+ Wood Loads

NOVA 2 TOWER

Dimensions: 45.5" H x 27" W x 18.5" D
 Firebox: 2.4 ft³
 Blower (Optional): 125 CFM
 Storage: 5+ Wood Loads





NOVA INSERT

Nova Insert brings the perfect modern design with the performance that Nova has been built on. With its large viewing area and minimal trim, it's easy to focus on the beauty of the fire. Still designed to take the guess work and tinkering out of wood burning. Making it perfect for both the casual wood burner and lifelong burner. There is no longer a need to adjust burn settings. Just light a fire and an efficient, clean burn is delivered every time.

NOVA INSERT

Minimum Fireplace Dimensions:
25" H x 30" W x 16" D
Trim Kit: 29" H x 40" W
Firebox: 1.7 ft³
Blower: 105 CFM

NOVA 2 INSERT

Minimum Fireplace Dimensions:
28" H x 33" W x 16" D
Trim Kit: 32" H x 44" W
Firebox: 2.4 ft³
Blower: 105 CFM





CATALYST WOOD STOVE

Catalyst is the world's first smart wood stove. Delivering the easiest and most efficient fire for you and your family. Catalyst wood stoves feature unique smart technology that continuously monitors and adjusts the fire to burn in the sweet spot, eliminating soot and smoke.

PERFORMANCE

Heating Capacity: 2,000 ft²


Max. Heat Output: 60,000 BTU/hr

EPA Emissions: 1.9 g/hr

Firebox: 2.0 ft³

Stove Dimensions: 38" H x 25" W x 29" D

Blower (Optional): 125 CFM



NOVA ACCESSORIES



STAINLESS STEEL &
CHARCOAL DOOR
UPGRADE



CATALYST OPTIONS



4" or 6" ADJUSTABLE ASH LIP



6" or 9" LEG KITS



STAINLESS STEEL
DOOR









SOAPSTONE TOP



CUSTOM COLORS
AVAILABLE

NOVA SPECIFICATIONS



NOVA


Height with 3" legs	24"
Width (w/o bypass)	22.5"
Width (w/ bypass)	23.6"
Depth w/ 4" ash lip	22"
Depth w/o 4" ash lip	18.5"
Side to center of flue collar	11.25"
Height to center rear flue collar	19"
Back to center top flue collar	6.25"

NOVA TOWER

Height with tower	43"
Width (w/o bypass)	22.5"
Width (w/ bypass)	23.6"
Depth	18.5"
Side to center of flue collar	11.25"
Height to center rear flue collar	38"
Back to center top flue collar	6.25"

NOVA INSERT

Surround height	29"
Surround width	40"
Minimum fireplace width	30"
Minimum fireplace height	25"
Minimum fireplace depth	16"
Back to center top flue collar	4.25"









MINIMUM CLEARANCE REQUIREMENTS

		Single Wall Connector Pipe	Double Wall Connector Pipe	Double Wall Connector Pipe with Reduced Clearance Kit
A	Sidewall to unit	20" (508 mm)	Refer to Nova owner's manual for these clearances.	20" (508 mm)
B	Backwall to unit	17" (432 mm)		7.5" (190 mm)
C	Sidewall to connector	28" (711 mm)		28" (711 mm)
D	Backwall to connector	22" (559 mm)		13.5" (343 mm)
E	Corner to unit	12" (305 mm)		9.5" (241 mm)
F	Corner to connector	21" (533 mm)		18" (457 mm)
G	Sidewall to unit	20" (508 mm)		
H	Backwall to unit	13.5" (343 mm)		
I	Sidewall to connector	28" (711 mm)		
J	Backwall to connector	13.5" (343 mm)		
K	Top of unit to ¾" trim	8" (203 mm)		
L	Top of unit to 8" mantel	11" (279 mm)		
Floor Protection				
M	Front	16" US/18" CAN		
N	Side	8" (203 mm)		
O	Chimney Connector	2" (51 mm)		

FLOOR PROTECTION REQUIREMENTS

Leg Height	With Ash Lip	Without Ash Lip
3"	R = 1.35	R = 1.35
6"	Type 1	R = 1.35
9"	Type 1	Type 1
Tower	Type 1	Type 1

NOVA 2 SPECIFICATIONS



NOVA 2


Height with 3" legs	26.5"
Width (w/o bypass)	27"
Width (w/ bypass)	27.83"
Depth w/ 4" ash lip	22"
Depth w/o 4" ash lip	18.5"
Side to center of flue collar	13.5"
Height to center rear flue collar	21.5"
Back to center top flue collar	6.25"

NOVA 2 TOWER

Height with tower	45.5"
Width (w/o bypass)	27"
Width (w/ bypass)	27.83"
Depth	18.5"
Side to center of flue collar	13.5"
Height to center rear flue collar	40.5"
Back to center top flue collar	6.25"

NOVA 2 INSERT

Surround height	32"
Surround width	44"
Minimum fireplace width	33"
Minimum fireplace height	28"
Minimum fireplace depth	16"
Back to center top flue collar	4.25"



MINIMUM CLEARANCE REQUIREMENTS

		Single Wall Connector Pipe	Double Wall Connector Pipe	Double Wall Connector Pipe with Reduced Clearance Kit
A	Sidewall to unit	22" (559 mm)	20" (508 mm)	22" (508 mm)
B	Backwall to unit	20" (508 mm)	14" (356 mm)	9" (228 mm)
C	Sidewall to connector	31" (787 mm)	29" (736 mm)	31" (787 mm)
D	Backwall to connector	23" (584 mm)	17" (432 mm)	12.5 (318 mm)
E	Corner to unit	14" (356 mm)	9" (229 mm)	9" (229 mm)
F	Corner to connector	23" (585 mm)	18" (457 mm)	18" (457 mm)
G	Sidewall to unit	22" (559 mm)		
H	Backwall to unit	16" (406 mm)		
I	Sidewall to connector	31" (787 mm)		
J	Backwall to connector	16" (406 mm)		
K	Top of unit to ¾" trim	10" (254 mm)		
L	Top of unit to 10" mantel	14" (356 mm)		
Floor Protection				
M	Front	16" US/18" CAN		
N	Side	8" (203 mm)		
O	Chimney Connector	2" (51 mm)		

FLOOR PROTECTION REQUIREMENTS

Leg Height	With Ash Lip	Without Ash Lip
3"	R = 1.35	R = 2.0
6"	Type 1	R = 1.35
9"	Type 1	Type 1
Tower	Type 1	Type 1

<div> MF FIRE</div>		MF FIRE Beautiful Wood Stoves for Modern Living	PRICES
ITEM #		DESCRIPTION	RW LIST PRICE
Wood Burning Stoves and Inserts			
High efficiency wood burning stoves			
MF002-BP01-DP01	Nova Wood Stove		\$2,745.99
NTB-B	Nova Tower Base		\$941.00
MF005-BP01-DP01	Nova Insert		\$2,690.95
MF003-BP01-DP01	Nova 2 Wood Stove		\$3,076.16
NT2B-B	Nova 2 Tower Base		\$941.00
MF006-BP01-DP01	Nova 2 Insert		\$3,549.42
MF001-BP01-DP01	Catalyst		\$4,396.87
MF05-SS1	Surround (29"High x 40" Wide)		\$440.24
MF06-SS1	Surround (32"High x 44" Wide)		\$528.28
Options for Nova, Nova 2, and Catalyst			
Customize your product			
NL06	6" Legs (Nova/Nova 2)		\$110.05
NL09	9" Legs (Nova/Nova 2)		\$165.09
FM02	Fan (Nova/Nova 2)		\$362.11
FM01	Room Blower Fan (Catalyst)		\$377.19
MF002-DP00	Stainless Door (Nova)		\$796.83
MF003-DP00	Stainless Door (Nova 2)		\$934.40
AP01	Ash Pan (Nova)		\$75.95
AP02	Ash Pan (Nova 2)		\$75.95
SP01	Soapstone Top (Catalyst)		\$1,044.47
M4001	Outside Airkit (Nova)		\$97.95
M4002	Outside Airkit (Nova 2)		\$97.95
MFAL002	Ash Lip (Nova)		\$99.05
MFAL003	Ash Lip (Nova 2)		\$110.05
MM01	Moisture Meter		\$42.93

CATALOG



what is an outdoor greatroom?

BRING HOME OUTSIDE.

The “outdoor greatroom” came from the idea that homeowners should enjoy their outdoor space as much as their indoor living space and that the comforts of indoors were to be enjoyed outdoors. This idea has been the foundation of our company and our inspiration to provide innovative products to those who like to entertain and live life outside.

The Outdoor GreatRoom Company™ is your one-stop-shop to make any dream outdoor space come to life.




gas fire pit tables

Light up the night and add ambiance to your outdoor space with beautiful gas fire pit tables. These glowing fires will become the place to gather with family and friends for years to come. Every fire table includes our patent pending Crystal Fire® Plus burner technology for the best and safest experience.

denali brew



- Sienna Suede ultracompact surface top on Mocha wood and corrugated galvanized metal base with 12x42" Crystal Fire® Plus burner
- Matching burner cover included
- Store the burner cover with built-in storage clips
- Optional bottle opener is included
- Optional GLASS GUARD-1242, FWG-1242 folding wind guard, and CVR6332 protective cover sold separately
- Sliding access door conceals standard 20 lb. propane tank in base
- UL & ULC Listed
- Made in USA




R/W Stocked

Item Number	Description	RW List Price
OGDENBR-1242	Denali Brew Fire Table	\$3,561.37
OGCVR-6332	Denali Brew Polyester Cover (Tan)	\$117.55
OGMG124BLSM-K	Montego Fire Pit Table	\$2,338.23
OGCVR-6332	Montego Polyester Cover (Tan)	\$117.55

montego




- Black or Balsam wicker base with black glass top
- 12x42" Crystal Fire® Plus burner
- Optional GLASS GUARD-1242, FWG-1242 folding wind guard, and CVR6332 protective cover
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base
- UL & ULC Listed



cedar ridge



- Horizontal LP cylinder with tank slider in base
- Dark Grey composite decking with Washed Cedar Supercast™ top and 12x42" Crystal Fire® Plus burner
- Matching Supercast™ burner cover included
- Access door conceals standard 20 lb. propane tank in base
- Optional protective cover
- UL & ULC Listed



R/W Stocked

Item Number	Description	RW List Price
OGCR-1242-K	Cedar Ridge Fire Table	\$3,561.37
OGCVR-6332	Cedar Ridge Polyester Cover (Tan)	\$117.55

darian



R/W Stocked

Item Number	Description	RW List Price
OGDAR-1224-EBG-K	Darian Fire Table	\$3,157.63
OGSI2424MK	Sierra Fire Pit	\$3,917.63
OGCVR-44	Sierra Polyester Cover (Tan)	\$105.70
OGALC-1224	Alcott Fire Pit	\$3,561.37
OGCVR-5038	Alcott Polyester Cover (Tan)	\$93.80

sierra square



- Outdoor-rated faux stacked stone and durable Mocha Supercast™ top
- 4x24" Crystal Fire® burner
- Sliding tank door holds standard 20 lb. propane tank in base
- Matching recessed Supercast™ burner cover included
- Optional protective cover




Sliding Tank Door

kenwood rectangular chat



- Brown composite decking top and base with 12x24" Crystal Fire® Plus burner
- Graphite Grey powder-coated aluminum frame
- Optional 2" riser included to fit standard 20 lb. propane tank in base
- air with optional Kenwood Short Bench (KW-SB)
- Grey glass burner cover included
- Optional protective cover
- UL & U C Listed



brooks

- Easy to maintain Taupe composite decking top and base with 12x24" Crystal Fire® Plus burner
- Graphite Grey powder-coated aluminum framing
- Grey glass burner cover included
- Optional protective cover
- UL & U C Listed


R/W Stocked

Item Number	Description	RW List Price
OGBRK-1224-19-K	Brooks Fire Table	\$1,780.09
OGCVR-5132	Brooks Polyester Cover (Tan)	\$93.80
OGKW-1224-19-K	Kenwood Fire Table Kenwood	\$1,780.09
OGCVR-5132	Polyester Cover (Tan)	\$93.80



alcott

- Antique Timber Supercast™ top with White Washed Shiplap-look base
- 12x24" Dora Brown powder-coated Crystal Fire® Plus burner
- Matching Antique Timber Supercast™ burner cover included
- Sliding tank door holds standard 20 lb. propane tank in base
- Optional protective cover



- UL & ULC Listed.
- Made in USA




Sliding Tank Door



edison



- Weathered Grey Barnwood Supercast™ top on a Pewter Crater powder-coated steel base with 20" round Crystal Fire® Plus burner
- Matching Supercast™ burner cover included
- Sliding access door holds standard 20 lb. propane tank in base
- Optional GLASS GUARD-20-R and CVR42 protective cover
- UL & ULC Listed
- Made in USA



Sliding Tank Door


R/W Stocks

Item Number	Description	RW List Price
OGED-20	Edison Fire Pit	\$3,561.37

stonefire



- Brown Stonefire composite top with Dora Brown powder-coated aluminum frame with Brown mesh base or Grey Stonefire composite top with Graphite Grey powder-coated frame with Grey mesh base Matching Stonefire composite
- 31.50" burner cover included
- Access door conceals standard 20 lb. propane tank in base
- Optional CVR36 protective cover
- 16" Crystal Fire® burner insert
- UL & ULC Listed



R/W Stocks

Item Number	Description	RW List Price
OGSF32K	Stonefire 32" Round Fire Pit	\$1,245.72
OGSF-32-K-G	Stonefire 32" Round Fire Pit (Grey)	\$1,245.72
OGCVR-36	Stonefire Cover	\$77.03


beacon supercast™



Marbleized Noche Beacon Dining Fire Pit Table with optional glass guard

Sliding Tank Door

- White Onyx Supercast™ top on Graphite Grey powder-coated metal base or Marbleized Noche Supercast™ top on Dora Brown powder-coated metal base with 20" Crystal Fire® Plus burner
- Matching Supercast™ burner cover included
- Sliding tank door holds standard 20 lb. propane tank in base
- Available in chat or dining height
- Optional protective cover
- UL & ULC Listed
- Made in USA



White Onyx Beacon Chat Fire Pit Table with optional glass guard


R/W Stocked

Item Number	Description	RW List Price
OGBC-20-MNB	Beacon Supercast w/ Marbleized Noche	\$3,977.03
OGBC-20-WO	Top Beacon Supercast w/ White Onyx Top	\$3,917.63

cove square



- Natural Grey Supercast™ base with 24x24" Black powder-coated Crystal Fire® burner
- Contemporary Natural Grey concrete finish is unique to each fire pit, common attributes include pitting and color density variation
- Access door conceals standard 20 lb. propane tank in base
- Grey glass burner cover included
- Optional protective cover
- UL & U C Listed
- Made in USA




R/W Stocked

Item Number	Description	RW List Price
OGCV-2424	Cove Square Fire Pit Cove	\$3,917.63
OGCVR-3939	Polyester Cover (Tan)	\$105.70

cove 20 fire pit bowl




- Natural Grey Supercast™ bowl with 20" round Crystal Fire® Plus burner
- Contemporary Natural Grey concrete finish is unique to each fire bowl, common attributes include pitting and color density variation
- Optional GLASS GUARD-20-R, & CVR36 protective cover
- Grey glass burner cover included
- Does not fit 20 lb. propane tank in base
- UL & ULC Listed.
- Made in USA



cove 30 fire pit bowl



- Natural Grey, White, or Black Supercast™ bowl with 30" round Crystal Fire® Plus burner
- The contemporary concrete finish is unique to each fire bowl, color density variation will occur
- Control panels are powder-coated to match concrete color
- Optional GLASS GUARD-30-R and CVR42 protective cover
- Grey glass burner cover included
- Does not fit 20 lb. propane tank in base
- UL & ULC Listed
- Made in USA




R/W Stocked

Item Number	Description	RW List Price
OGCOVE20	20" Cove Fire Pit	\$2,789.51
OGCVR-36	20" Cove Polyester Cover (Tan)	\$77.03
OGCOVE30	30" Cove Fire Pit	\$4,155.13
OGCV-30MM	30" Cove Midnight Mist Fire Pit	\$4,392.64
OGCV-30E	30" Cove Edge Fire Pit	\$3,798.88
OGCVR42	30" Cove Polyester Cover (Tan)	\$89.05

cove linear



- Natural Grey Supercast base with Black powder-coated Crystal Fire Plus burner
- Contemporary Natural Grey concrete finish is unique to each, color density variations will occur
- Optional Tumbled or Black Lava Rock or protective cover
- Grey glass burner cover included
- Does not fit 20 lb. propane tank in base
- UL & ULC Listed
- Made in USA




R/W Stocked

Item Number	Description	RW List Price
OGCV-54	Cove 54" Linear Fit Pit	\$6,411.43
OGCV-72	Cove 72" Linear Fire Pit	\$7,480.20

kenwood linear dining



- Easy to maintain Brown composite decking top & base with 12x42" Crystal Fire® Plus burner
- Graphite Grey powder-coated aluminum frame
- Chair with optional Kenwood Benches or Lyndale Swivel Rocking Chairs
- Optional protective cover
- Grey glass burner cover included
- UL & U C Listed



kenwood collection benches



- Brown composite decking
- Graphite Grey powder-coated aluminum frame 14" depth; long bench is 68", short bench is 24"
- Pair with Kenwood Dining Fire Pit Table, short bench also pairs with Kenwood 1224 Chat Fire Table
- Benches sold individually

R/W Stocks



Item Number	Description	RW List Price
OGKW1242-K	Kenwood Linear Dining Height Fire Table	\$4,155.13
OGKW-LB	Kenwood Long Bench w/ Composite Top	\$592.58
OGKW-SB	Kenwood Short Bench w/ Composite Top	\$331.32
OGLSR-CA	Lyndale High-back Swivel Rocket	\$2,338.23



accessories

No fire pit table is complete without adding your own signature look. Easily customize your fire pit table with glass guards, fire glass, lava rock, burner covers, protective covers, and more!

glass and fire media



Tempered fire glass lights up the fire pit table with an ember-like glow. Complete your gas fire pit table or fireplace with beautiful tempered fire glass or lava rock. Choose from many shapes, sizes, and colors to create a custom look— you can even mix and match!

- Tempered fire glass comes in packaging that is easy to store & display
- Clear Tempered Fire Glass Gems included with all fire pit tables & fireplaces

R/W Stocked

Item Number	Description	RW List Price
OGCFG-D	Diamond Glass Fire Gems	\$46.32
OGCFG-AM	Aquamarine Glass Fire Gems	\$53.43
OGCFG-A	Amber Glass Fire Gems Onyx	\$53.43
OGCFG-O	Glass Fire Gems Ruby Glass	\$53.43
OGCFG-R	Fire Gems	\$70.05

protective covers



Protect your investment with protective covers from OGC! Great for storing items long term or for everyday use.



- Available for most fire pit tables, fireplaces, and 20 lb. LP tank
- Tan polyester fabric stays cool to the touch
- Tear resistant, rip-stop laminating
- Drawstring cord at bottom to secure to fire pit
- Polyester velvet interior protects finished surfaces and materials
- One way breathability: exterior is water resistant, but is one way breathable to let any interior moisture out

glass wind guards



Glass wind guards not only add a layer of protection between the flame, wind, little hands, pets, and debris, but also looks beautiful with the reflection of the dancing flame. Glass guards available to fit any standard Crystal Fire® Plus Burner.

- Reduces wind effect and provides safety barrier for children & animals
- Tempered glass
- Stainless Steel hardware
- Easy to set up & clean
- Custom options available.



R/W Stocked

Item Number	Description	RW List Price
GLASSGUARDCF20-R	Glass Guard for Cove 20"	\$355.07
GLASSGUARD30-R	Glass Guard for Cove 30"	\$485.69
GLASSGAURD1242	Glass Guard for CF-1242	\$355.07
GLASSGAURD2424	Glass Guard for CF-2424	\$271.94
GLASSGAURD1224	Glass Guard for CF-1224	\$271.94

DIY CONTROL PANELS



- Order for use with Variable Control Safety Valve
- For use with custom or hardscape block applications
- 4" H x 1.5" W x 3" D

R/W Stocked

Item Number	Description	RW List Price
OGCT-PANEL	Control Panel for Coffee Tables	\$70.07
OGDIY-LPK	LP Orifice 10' LP Hose and Regulator	\$81.93



gallery collection indoor fireplaces

With both electric and gas fireplace options, we have something for everyone. Each model is either UL, ULC, or CSA listed for safety, fits any room style, and is easy to use. Great for residential, multi-family buildings, and commercial spaces.



gallery collection mantels

Complement your gas or electric fireplace with a Non-Combustible Supercast™ Concrete Mantel or your electric insert with our Heritage Fireplace Cabinet.

electric fireplace inserts



Optional Black powder-coated bottom 4" trim surround piece available for finishing zero clearance front in pre-existing fireplace (IS-36-ZC-B or IS-42-ZC-B)

Can be installed virtually anywhere in your home but is designed for installing into existing fireplaces. With two sizes of inserts and two sizes of fronts, you can find something to fit most sizes of existing masonry wood-burning fireplaces. Turn any traditional fireplace into an easy-to-use, clean, and efficient electric fireplace in minutes.

R/W Stocks

Item Number	Description	RW List Price
OGGI-29	Galley Electric Fireplace Insert	\$830.08
OGIS-36	36" Trim Kit (1/4"W x 27"H) 42"	\$129.44
OGIS-42	Trim Kit (1/4"W x 28 1/2"H) 32"	\$153.19
OGGI-32ZC	Electric ZC Fireplace Insert 36"	\$830.08
OGIS-36ZC	Insert Surround for GI-32ZC 42"	\$129.44
OGIS-42ZC	Insert Surround for GI-32ZC	\$153.19

non-combustible supercast™ mantels



- 5 Available finishes: Washed Cedar, Polished Midnight Mist
- Reduced clearances
- Non-combustible
- Real wood-look appearance
- Choose from 60" or 72"
- Custom lengths available
- Easy installation and easy to clean for indoor and outdoor applications
- 150 lb functional load rating on 60" mantel
- 180 lb functional load rating on 72" mantel
- Made in USA



Polished Midnight Mist 72" Mantel
GMMMT-72



Washed Cedar 60" Mantel
GWCT-60

R/W Stocked

Item Number	Description	RW List Price
OGWMT-60	60" Cedar Wood Linear Mantel	\$1,423.83
OGWMMT-60	60" Midnight Mist Linear Mantel	\$1,542.58
OGWMT-72	72" Cedar Wood Linear Mantel	\$1,661.33
OGWMMT-72	72" Midnight Mist Linear Mantel	\$1,720.73